

PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference E 2436 PCT	FOR FURTHER ACTION See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)	
International application No. PCT/IB00/01318	International filing date (<i>day/month/year</i>) 18/09/2000	Priority date (<i>day/month/year</i>) 12/10/1999
International Patent Classification (IPC) or national classification and IPC A23L2/78		
Applicant MEIJI SEIKA KAISHA, LTD. et al.		
<p>1. This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.</p> <p>2. This REPORT consists of a total of 6 sheets, including this cover sheet.</p> <p><input checked="" type="checkbox"/> This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).</p> <p>These annexes consist of a total of 4 sheets.</p>		
<p>3. This report contains indications relating to the following items:</p> <ul style="list-style-type: none"> I <input checked="" type="checkbox"/> Basis of the report II <input type="checkbox"/> Priority III <input type="checkbox"/> Non-establishment of opinion with regard to novelty, inventive step and industrial applicability IV <input type="checkbox"/> Lack of unity of invention V <input checked="" type="checkbox"/> Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement VI <input type="checkbox"/> Certain documents cited VII <input type="checkbox"/> Certain defects in the international application VIII <input type="checkbox"/> Certain observations on the international application 		
Date of submission of the demand 10/05/2001	Date of completion of this report 01.02.2002	
Name and mailing address of the international preliminary examining authority: <div style="display: flex; align-items: center;"> <div> European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 523656 epmu d Fax: +49 89 2399 - 4465 </div> </div>	Authorized officer Krajewski, D Telephone No. +49 89 2399 8472	



INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/IB00/01318

I. Basis of the report

1. With regard to the **elements** of the international application (*Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)*):

Description, pages:

1-38 as originally filed

Claims, No.:

1-19 as received on 15/01/2002 with letter of 15/01/2002

2. With regard to the **language**, all the elements marked above were available or furnished to this Authority in the language in which the international application was filed, unless otherwise indicated under this item.

These elements were available or furnished to this Authority in the following language: , which is:

- ☐ the language of a translation furnished for the purposes of the international search (under Rule 23.1(b)).
- ☐ the language of publication of the international application (under Rule 48.3(b)).
- ☐ the language of a translation furnished for the purposes of international preliminary examination (under Rule 55.2 and/or 55.3).

3. With regard to any **nucleotide and/or amino acid sequence** disclosed in the international application, the international preliminary examination was carried out on the basis of the sequence listing:

- ☐ contained in the international application in written form.
- ☐ filed together with the international application in computer readable form.
- ☐ furnished subsequently to this Authority in written form.
- ☐ furnished subsequently to this Authority in computer readable form.
- ☐ The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.
- ☐ The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished.

4. The amendments have resulted in the cancellation of:

- ☐ the description, pages:
- ☐ the claims, Nos.:
- ☐ the drawings, sheets:

5. ☐ This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed (Rule 70.2(c)):

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/IB00/01318

(Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.)

6. Additional observations, if necessary:
see separate sheet

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)	Yes:	Claims	1 - 13, 16, 19
	No:	Claims	14, 15, 17, 18
Inventive step (IS)	Yes:	Claims	1 - 13, 16, 19
	No:	Claims	
Industrial applicability (IA)	Yes:	Claims	1 - 19
	No:	Claims	

2. Citations and explanations
see separate sheet

**INTERNATIONAL PRELIMINARY
EXAMINATION REPORT - SEPARATE SHEET**

International application No. PCT/IB00/01318

AD I.:

1. The handwritten amendments of the newly filed claims cannot be accepted under the provision of Rules 11.9 and 11.12 PCT. Even if these amendments were filed in typed form, they would not meet the requirements of Article 34(2)(b) PCT for the following reasons:

The applicant introduced the feature "as the only potassium source" into claim 14. Basis for the said amendments was given in examples 6 - 10 where the preparation of defined low potassium food, ie jelly, candy and gummy is disclosed. The generalisation of said specific foodstuff to foodstuff in general is regarded to extend over the disclosure as originally filed.

In view of above objections, the IPER is based on the originally filed claims.

AD V.:

1. Reference is made to the following documents:

D1: DATABASE WPI Section Ch, Week 198903 Derwent Publications Ltd., London, GB; Class B04, AN 1989-020278 XP002158133 & JP 63 296663 A (NISSHIN OIL MILLS LTD), 2 December 1988 (1988-12-02)

D6: LEES R: 'Using fruit juice and pulp in the manufacture of sugar confectionery.' CONFECTIONERY PRODUCTION 1973, vol. 39, no. 12, pages 646-647, XP002158445

2. The present application relates to a low potassium juice produced by a specific process (claim 1 and claims 2 - 3, 7 - 13 depending thereupon), the method of producing the juice (claim 4 and claims 5 - 6 depending thereupon), a low potassium juice-containing food (claim 14 and claims 15 - 18 depending thereupon) and a low potassium juice having a defined calcium content (claim 19).
3. Claims 1 - 13, 19
- 3.1 D1 discloses the addition of calcium carbonate to seed milk (= fruit juice) with a low content in potassium. A gelled food is produced.
D1 however does not disclose the removal of more than 90% of the original potassium content from the seed milk. Moreover, the seed milk is obtained by aqueous extraction.

**INTERNATIONAL PRELIMINARY
EXAMINATION REPORT - SEPARATE SHEET**

International application No. PCT/IB00/01318

- 3.2 The subject-matter of claims 1 - 13 and 19 is thus not anticipated by the disclosure of D1. The other documents cited in the search report are less relevant. The requirements of Article 33(2) PCT are met.
- 3.3 The subject-matter of claims 1 - 13 and 19 involves an inventive step. The problem solved is the provision of a fruit or vegetable juice with an extremely low potassium content but having an acceptable taste. The solution is the specific method of production, ie decrease of the potassium content with a cation exchange resin and addition of either calcium carbonate or calcium hydroxide in the solid state to the juice. This solution is not derivable in an obvious way for the skilled person from the prior art. The requirements of Article 33(3) PCT are met.
4. Claims 14, 15, 17, 18
D6 (see especially recipes) is regarded to be pertinent for the product claims 14, 15, 17, 18 since the products claimed for are not limited to low potassium food but to food that contains a low potassium juice and other defined or undefined ingredients that can add to the potassium content. The requirements of Article 33(2) PCT are not met for said claims.
5. Claim 16
- 5.1 Claim 16 is directed to a jelly which consists of the low potassium juice of the present invention, a gelling agent and carbohydrates as sole ingredients. The subject-matter of claim 16 is thus not disclosed in D1 or D6 and meets the requirements of Article 33(2) PCT.
- 5.2 The problem solved by the subject-matter of claim 16 is the provisions of a low potassium jelly which has the same taste characteristics as a jelly made from the same juice having the natural potassium content. The same considerations as under point 3.3 apply. The requirements of Article 33(3) PCT are met.

**INTERNATIONAL PRELIMINARY
EXAMINATION REPORT - SEPARATE SHEET**

International application No. PCT/IB00/01318

6. A positive International Preliminary Examination Report for the subject-matter of the dependent claims can only be established when they refer to an independent claim which meets the requirements of the PCT.
7. The subject-matter of claims 1 - 19 meets the requirements of Article 33(4) PCT.

PATENT COOPERATION TREATY

PCT

NOTIFICATION OF ELECTION

(PCT Rule 61.2)

From the INTERNATIONAL BUREAU

To:

Commissioner
 US Department of Commerce
 United States Patent and Trademark
 Office, PCT
 2011 South Clark Place Room
 CP2/5C24
 Arlington, VA 22202
 ETATS-UNIS D'AMERIQUE
 in its capacity as elected Office

Date of mailing (day/month/year) 21 August 2001 (21.08.01)	
International application No. PCT/IB00/01318	Applicant's or agent's file reference E 2436 PCT
International filing date (day/month/year) 18 September 2000 (18.09.00)	Priority date (day/month/year) 12 October 1999 (12.10.99)
Applicant KINOSHITA, Yuko et al	

1. The designated Office is hereby notified of its election made:

☒ in the demand filed with the International Preliminary Examining Authority on:
 10 May 2001 (10.05.01)

☐ in a notice effecting later election filed with the International Bureau on:

2. The election ☒ was
☐ was not

made before the expiration of 19 months from the priority date or, where Rule 32 applies, within the time limit under Rule 32.2(b).

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland Facsimile No.: (41-22) 740.14.35	Authorized officer CRUZ Juan Telephone No.: (41-22) 338.83.38
---	---

PATENT COOPERATION TREATY

PCT

INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference E 2436 PCT	FOR FURTHER ACTION <small>see Notification of Transmittal of International Search Report (Form PCT/ISA/220) as well as, where applicable, item 5 below.</small>	
International application No. PCT/ IB 00/ 01318	International filing date (day/month/year) 18/09/2000	(Earliest) Priority Date (day/month/year) 12/10/1999
Applicant MEIJI SEIKA KAISHA, LTD. et al.		

This International Search Report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the International Bureau.

This International Search Report consists of a total of 3 sheets.

☒ It is also accompanied by a copy of each prior art document cited in this report.

1. Basis of the report

a. With regard to the **language**, the international search was carried out on the basis of the international application in the language in which it was filed, unless otherwise indicated under this item.

☐ the international search was carried out on the basis of a translation of the international application furnished to this Authority (Rule 23.1(b)).

b. With regard to any **nucleotide and/or amino acid sequence** disclosed in the international application, the international search was carried out on the basis of the sequence listing :

☐ contained in the international application in written form.

☐ filed together with the international application in computer readable form.

☐ furnished subsequently to this Authority in written form.

☐ furnished subsequently to this Authority in computer readable form.

☐ the statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.

☐ the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished

2. ☐ **Certain claims were found unsearchable** (See Box I).

3. ☐ **Unity of invention is lacking** (see Box II).

4. With regard to the **title**,

☒ the text is approved as submitted by the applicant.

☐ the text has been established by this Authority to read as follows:

5. With regard to the **abstract**,

☒ the text is approved as submitted by the applicant.

☐ the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority.

6. The figure of the **drawings** to be published with the abstract is Figure No.

☐ as suggested by the applicant.

☐ because the applicant failed to suggest a figure.

☐ because this figure better characterizes the invention.

☐ None of the figures.

INTERNATIONAL SEARCH REPORT

International Application No

/IB 00/01318

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A23L2/78 A23L2/52

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A23L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

WPI Data, EPO-Internal, PAJ, FSTA

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	DATABASE WPI Section Ch, Week 198903 Derwent Publications Ltd., London, GB; Class B04, AN 1989-020278 XP002158133	1-16, 19
Y	& JP 63 296663 A (NISSHIN OIL MILLS LTD), 2 December 1988 (1988-12-02) abstract --- -/--	17, 18



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

° Special categories of cited documents:

A document defining the general state of the art which is not considered to be of particular relevance

E earlier document but published on or after the international filing date

L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

O document referring to an oral disclosure, use, exhibition or other means

P document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

& document member of the same patent family

Date of the actual completion of the international search

25 January 2001

Date of mailing of the international search report

22/02/2001

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Koch, J

INTERNATIONAL SEARCH REPORT

International Application No

/IB 00/01318

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>DATABASE FSTA 'Online! INTERNATIONAL FOOD INFORMATION SERVICE (IFIS), FRANKFURT/MAIN, DE; "Tomato juice; amendment of identity standard." Database accession no. 74-3-10-u0418 XP002158446 abstract & FEDERAL REGISTER 1974 WASHINGTON, DC, vol. 39, no. 116, Jun. 14, pages 20882-20884,</p> <p>---</p>	7,8
X,P	<p>DATABASE WPI Section Ch, Week 200023 Derwent Publications Ltd., London, GB; Class D13, AN 2000-264436 XP002158132 & JP 2000 069947 A (MEIJI SEIKA KAISHA LTD), 7 March 2000 (2000-03-07) abstract</p> <p>---</p>	1-14,19
X	<p>DATABASE WPI Section Ch, Week 199920 Derwent Publications Ltd., London, GB; Class D13, AN 1999-229815 XP002158135 & BR 9 704 147 A (DUARTE COELHO A C), 6 April 1999 (1999-04-06) cited in the application abstract</p> <p>---</p>	1-3, 7-14,19
A	<p>EP 0 339 540 A (MOBUS RAINER) 2 November 1989 (1989-11-02) cited in the application the whole document</p> <p>---</p>	4-6
X	<p>LEES R: "Using fruit juice and pulp in the manufacture of sugar confectionery." CONFECTIONERY PRODUCTION 1973, vol. 39, no. 12, pages 646-647, XP002158445 page 647</p> <p>-----</p>	1-3, 7-14,19
A		4-6
Y		17,18

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

/IB 00/01318

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
JP 63296663 A	02-12-1988	JP 2542515 B	09-10-1996
JP 2000069947 A	07-03-2000	NONE	
BR 9704147 A	06-04-1999	NONE	
EP 0339540 A	02-11-1989	DE 3814572 C	11-05-1989

PATENT COOPERATION TREATY

From the
INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY

To:

VOSSIUS & PARTNER
Siebertstrasse 4
81675 München
ALLEMAGNE

EINGEGANGEN
Vossius & Partner

05. Feb. 2002

Frist
bearb..

PCT

NOTIFICATION OF TRANSMITTAL OF
THE INTERNATIONAL PRELIMINARY
EXAMINATION REPORT
(PCT Rule 71.1)

Date of mailing
(day/month/year) 01.02.2002

Applicant's or agent's file reference
E 2436 PCT

IMPORTANT NOTIFICATION

International application No.
PCT/IB00/01318

International filing date (day/month/year)
18/09/2000

Priority date (day/month/year)
12/10/1999

Applicant
MEIJI SEIKA KAISHA, LTD. et al.

1. The applicant is hereby notified that this International Preliminary Examining Authority transmits herewith the international preliminary examination report and its annexes, if any, established on the international application.
2. A copy of the report and its annexes, if any, is being transmitted to the International Bureau for communication to all the elected Offices.
3. Where required by any of the elected Offices, the International Bureau will prepare an English translation of the report (but not of any annexes) and will transmit such translation to those Offices.

4. REMINDER

The applicant must enter the national phase before each elected Office by performing certain acts (filing translations and paying national fees) within 30 months from the priority date (or later in some Offices) (Article 39(1)) (see also the reminder sent by the International Bureau with Form PCT/IB/301).

Where a translation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary examination report. It is the applicant's responsibility to prepare and furnish such translation directly to each elected Office concerned.

For further details on the applicable time limits and requirements of the elected Offices, see Volume II of the PCT Applicant's Guide.

Name and mailing address of the IPEA/

 European Patent Office
D-80298 Munich
Tel. +49 89 2399 - 0 Tx: 523656 epmu d
Fax: +49 89 2399 - 4465

Authorized officer

Götz, K
Tel. +49 89 2399-7381



PCT

REQUEST

The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty.

For receiving Office use only

International Application No.

International Filing Date

Name of receiving Office and "PCT International Application"

Applicant's or agent's file reference
(if desired) (12 characters maximum) E 2436 PCT

Box No. I TITLE OF INVENTION

LOW POTASSIUM JUICE, METHOD FOR PRODUCING THEREOF AND FOOD CONTAINING THE SAME

Box No. II APPLICANT

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)

MEIJI SEIKA KAISHA, LTD.
4-16, Kyobashi 2-chome, Chuo-ku, Tokyo 104-8002 Japan

☐ This person is also inventor.

Telephone No.

Facsimile No.

Teleprinter No.

State (that is, country) of nationality:
JP

State (that is, country) of residence:
JP

This person is applicant for the purposes of: ☐ all designated States ☒ all designated States except the United States of America ☐ the United States of America only ☐ the States indicated in the Supplemental Box

Box No. III FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S)

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)

KINOSHITA, Yuko
10-6, Naritahigashi 1-chome, Suginami-ku, Tokyo 166-0015 Japan

This person is:

☐ applicant only

☒ applicant and inventor

☐ inventor only (If this check-box is marked, do not fill in below.)

State (that is, country) of nationality:
JP

State (that is, country) of residence:
JP

This person is applicant for the purposes of: ☐ all designated States ☐ all designated States except the United States of America ☒ the United States of America only ☐ the States indicated in the Supplemental Box

☒ Further applicants and/or (further) inventors are indicated on a continuation sheet.

Box No. IV AGENT OR COMMON REPRESENTATIVE; OR ADDRESS FOR CORRESPONDENCE

The person identified below is hereby/has been appointed to act on behalf of the applicant(s) before the competent International Authorities as: ☐ agent ☐ common representative

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country.)

Vossius & Partner
Siebertstr. 4
81675 München
DE

Telephone No.

0049 89 41 30 40

Facsimile No.

0049 89 41 30 41 11

Teleprinter No.

☐ Address for correspondence: Mark this check-box where no agent or common representative is/has been appointed and the space above is used instead to indicate a special address to which correspondence should be sent.

Continuation of Box No. III FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S)	
<i>If none of the following sub-boxes is used, this sheet should not be included in the request.</i>	
<p>Name and address: <i>(Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)</i></p> <p>KINOSHITA, Toshio 10-6, Naritahigashi 1-chome, Suginami-ku, Tokyo 166-0015 Japan</p>	<p>This person is:</p> <p><input type="checkbox"/> applicant only</p> <p><input checked="" type="checkbox"/> applicant and inventor</p> <p><input type="checkbox"/> inventor only <i>(If this check-box is marked, do not fill in below.)</i></p>
State <i>(that is, country)</i> of nationality: JP	State <i>(that is, country)</i> of residence: JP
<p>This person is applicant for the purposes of: <input type="checkbox"/> all designated States <input type="checkbox"/> all designated States except the United States of America <input checked="" type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box</p>	
<p>Name and address: <i>(Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)</i></p> <p>KATAMUNE, Koji c/o Food Research & Development Labs., Meiji Seika Kaisha, Ltd. 3-1, Chiyoda 5-chome, Sakado-shi, Saitama 350-0214 Japan</p>	<p>This person is:</p> <p><input type="checkbox"/> applicant only</p> <p><input checked="" type="checkbox"/> applicant and inventor</p> <p><input type="checkbox"/> inventor only <i>(If this check-box is marked, do not fill in below.)</i></p>
State <i>(that is, country)</i> of nationality: JP	State <i>(that is, country)</i> of residence: JP
<p>This person is applicant for the purposes of: <input type="checkbox"/> all designated States <input type="checkbox"/> all designated States except the United States of America <input checked="" type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box</p>	
<p>Name and address: <i>(Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)</i></p> <p>GOTO, Takushi c/o Food Research & Development Labs., Meiji Seika Kaisha, Ltd. 3-1, Chiyoda 5-chome, Sakado-shi, Saitama 350-0214 Japan</p>	<p>This person is:</p> <p><input type="checkbox"/> applicant only</p> <p><input checked="" type="checkbox"/> applicant and inventor</p> <p><input type="checkbox"/> inventor only <i>(If this check-box is marked, do not fill in below.)</i></p>
State <i>(that is, country)</i> of nationality: JP	State <i>(that is, country)</i> of residence: JP
<p>This person is applicant for the purposes of: <input type="checkbox"/> all designated States <input type="checkbox"/> all designated States except the United States of America <input checked="" type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box</p>	
<p>Name and address: <i>(Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)</i></p> <p>TAKIZAWA, Toshio c/o Food Research & Development Labs., Meiji Seika Kaisha, Ltd. 3-1, Chiyoda 5-chome, Sakado-shi, Saitama 350-0214 Japan</p>	<p>This person is:</p> <p><input type="checkbox"/> applicant only</p> <p><input checked="" type="checkbox"/> applicant and inventor</p> <p><input type="checkbox"/> inventor only <i>(If this check-box is marked, do not fill in below.)</i></p>
State <i>(that is, country)</i> of nationality: JP	State <i>(that is, country)</i> of residence: JP
<p>This person is applicant for the purposes of: <input type="checkbox"/> all designated States <input type="checkbox"/> all designated States except the United States of America <input checked="" type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box</p>	
<p><input checked="" type="checkbox"/> Further applicants and/or (further) inventors are indicated on another continuation sheet.</p>	

Box No.V DESIGNATION OF STATES

The following designations are hereby made under Rule 4.9(a) (mark the applicable check-boxes; at least one must be marked):

Regional Patent

- ☒ AP ARIPO Patent: GH Ghana, GM Gambia, KE Kenya, LS Lesotho, MW Malawi, MZ Mozambique, SD Sudan, SL Sierra Leone, SZ Swaziland, TZ United Republic of Tanzania, UG Uganda, ZW Zimbabwe, and any other State which is a Contracting State of the Harare Protocol and of the PCT
- ☒ EA Eurasian Patent: AM Armenia, AZ Azerbaijan, BY Belarus, KG Kyrgyzstan, KZ Kazakhstan, MD Republic of Moldova, RU Russian Federation, TJ Tajikistan, TM Turkmenistan, and any other State which is a Contracting State of the Eurasian Patent Convention and of the PCT
- ☒ EP European Patent: AT Austria, BE Belgium, CH and LI Switzerland and Liechtenstein, CY Cyprus, DE Germany, DK Denmark, ES Spain, FI Finland, FR France, GB United Kingdom, GR Greece, IE Ireland, IT Italy, LU Luxembourg, MC Monaco, NL Netherlands, PT Portugal, SE Sweden, and any other State which is a Contracting State of the European Patent Convention and of the PCT
- ☒ OA OAPI Patent: BF Burkina Faso, BJ Benin, CF Central African Republic, CG Congo, CI Côte d'Ivoire, CM Cameroon, GA Gabon, GN Guinea, GW Guinea-Bissau, ML Mali, MR Mauritania, NE Niger, SN Senegal, TD Chad, TG Togo, and any other State which is a member State of OAPI and a Contracting State of the PCT (if other kind of protection or treatment desired, specify on dotted line)

National Patent (if other kind of protection or treatment desired, specify on dotted line):

- | | |
|--|--|
| <input checked="" type="checkbox"/> AE United Arab Emirates | <input checked="" type="checkbox"/> LC Saint Lucia |
| <input checked="" type="checkbox"/> AG Antigua and Barbuda | <input checked="" type="checkbox"/> LK Sri Lanka |
| <input checked="" type="checkbox"/> AL Albania | <input checked="" type="checkbox"/> LR Liberia |
| <input checked="" type="checkbox"/> AM Armenia | <input checked="" type="checkbox"/> LS Lesotho |
| <input checked="" type="checkbox"/> AT Austria | <input checked="" type="checkbox"/> LT Lithuania |
| <input checked="" type="checkbox"/> AU Australia | <input checked="" type="checkbox"/> LU Luxembourg |
| <input checked="" type="checkbox"/> AZ Azerbaijan | <input checked="" type="checkbox"/> LV Latvia |
| <input checked="" type="checkbox"/> BA Bosnia and Herzegovina | <input checked="" type="checkbox"/> MA Morocco |
| <input checked="" type="checkbox"/> BB Barbados | <input checked="" type="checkbox"/> MD Republic of Moldova |
| <input checked="" type="checkbox"/> BG Bulgaria | <input checked="" type="checkbox"/> MG Madagascar |
| <input checked="" type="checkbox"/> BR Brazil | <input checked="" type="checkbox"/> MK The former Yugoslav Republic of Macedonia |
| <input checked="" type="checkbox"/> BY Belarus | <input checked="" type="checkbox"/> MN Mongolia |
| <input checked="" type="checkbox"/> BZ Belize | <input checked="" type="checkbox"/> MW Malawi |
| <input checked="" type="checkbox"/> CA Canada | <input checked="" type="checkbox"/> MX Mexico |
| <input checked="" type="checkbox"/> CH and LI Switzerland and Liechtenstein | <input checked="" type="checkbox"/> MZ Mozambique |
| <input checked="" type="checkbox"/> CN China | <input checked="" type="checkbox"/> NO Norway |
| <input checked="" type="checkbox"/> CR Costa Rica | <input checked="" type="checkbox"/> NZ New Zealand |
| <input checked="" type="checkbox"/> CU Cuba | <input checked="" type="checkbox"/> PL Poland |
| <input checked="" type="checkbox"/> CZ Czech Republic | <input checked="" type="checkbox"/> PT Portugal |
| <input checked="" type="checkbox"/> DE Germany | <input checked="" type="checkbox"/> RO Romania |
| <input checked="" type="checkbox"/> DK Denmark | <input checked="" type="checkbox"/> RU Russian Federation |
| <input checked="" type="checkbox"/> DM Dominica | <input checked="" type="checkbox"/> SD Sudan |
| <input checked="" type="checkbox"/> DZ Algeria | <input checked="" type="checkbox"/> SE Sweden |
| <input checked="" type="checkbox"/> EE Estonia | <input checked="" type="checkbox"/> SG Singapore |
| <input checked="" type="checkbox"/> ES Spain | <input checked="" type="checkbox"/> SI Slovenia |
| <input checked="" type="checkbox"/> FI Finland | <input checked="" type="checkbox"/> SK Slovakia |
| <input checked="" type="checkbox"/> GB United Kingdom | <input checked="" type="checkbox"/> SL Sierra Leone |
| <input checked="" type="checkbox"/> GD Grenada | <input checked="" type="checkbox"/> TJ Tajikistan |
| <input checked="" type="checkbox"/> GE Georgia | <input checked="" type="checkbox"/> TM Turkmenistan |
| <input checked="" type="checkbox"/> GH Ghana | <input checked="" type="checkbox"/> TR Turkey |
| <input checked="" type="checkbox"/> GM Gambia | <input checked="" type="checkbox"/> TT Trinidad and Tobago |
| <input checked="" type="checkbox"/> HR Croatia | <input checked="" type="checkbox"/> TZ United Republic of Tanzania |
| <input checked="" type="checkbox"/> HU Hungary | <input checked="" type="checkbox"/> UA Ukraine |
| <input checked="" type="checkbox"/> ID Indonesia | <input checked="" type="checkbox"/> UG Uganda |
| <input checked="" type="checkbox"/> IL Israel | <input checked="" type="checkbox"/> US United States of America |
| <input checked="" type="checkbox"/> IN India | <input checked="" type="checkbox"/> UZ Uzbekistan |
| <input checked="" type="checkbox"/> IS Iceland | <input checked="" type="checkbox"/> VN Viet Nam |
| <input checked="" type="checkbox"/> JP Japan | <input checked="" type="checkbox"/> YU Yugoslavia |
| <input checked="" type="checkbox"/> KE Kenya | <input checked="" type="checkbox"/> ZA South Africa |
| <input checked="" type="checkbox"/> KG Kyrgyzstan | <input checked="" type="checkbox"/> ZW Zimbabwe |
| <input checked="" type="checkbox"/> KP Democratic People's Republic of Korea | |
| <input checked="" type="checkbox"/> KR Republic of Korea | |
| <input checked="" type="checkbox"/> KZ Kazakhstan | |

Check-box reserved for designating States which have become party to the PCT after issuance of this sheet:

☐

Precautionary Designation Statement: In addition to the designations made above, the applicant also makes under Rule 4.9(b) all other designations which would be permitted under the PCT except any designation(s) indicated in the Supplemental Box as being excluded from the scope of this statement. The applicant declares that those additional designations are subject to confirmation and that any designation which is not confirmed before the expiration of 15 months from the priority date is to be regarded as withdrawn by the applicant at the expiration of that time limit. (Confirmation (including fees) must reach the receiving Office within the 15-month time limit.)

Supplemental Box *If the Supplemental Box is not used, this sheet should not be included in the request.*

1. *If, in any of the Boxes, the space is insufficient to furnish all the information: in such case, write "Continuation of Box No. ..." [indicate the number of the Box] and furnish the information in the same manner as required according to the captions of the Box in which the space was insufficient, in particular:*

- (i) *if more than two persons are involved as applicants and/or inventors and no "continuation sheet" is available: in such case, write "Continuation of Box No. III" and indicate for each additional person the same type of information as required in Box No. III. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below;*
- (ii) *if, in Box No. II or in any of the sub-boxes of Box No. III, the indication "the States indicated in the Supplemental Box" is checked: in such case, write "Continuation of Box No. II" or "Continuation of Box No. III" or "Continuation of Boxes No. II and No. III" (as the case may be), indicate the name of the applicant(s) involved and, next to (each) such name, the State(s) (and/or, where applicable, ARIPO, Eurasian, European or OAPI patent) for the purposes of which the named person is applicant;*
- (iii) *if, in Box No. II or in any of the sub-boxes of Box No. III, the inventor or the inventor/applicant is not inventor for the purposes of all designated States or for the purposes of the United States of America: in such case, write "Continuation of Box No. II" or "Continuation of Box No. III" or "Continuation of Boxes No. II and No. III" (as the case may be), indicate the name of the inventor(s) and, next to (each) such name, the State(s) (and/or, where applicable, ARIPO, Eurasian, European or OAPI patent) for the purposes of which the named person is inventor;*
- (iv) *if, in addition to the agent(s) indicated in Box No. IV, there are further agents: in such case, write "Continuation of Box No. IV" and indicate for each further agent the same type of information as required in Box No. IV;*
- (v) *if, in Box No. V, the name of any State (or OAPI) is accompanied by the indication "patent of addition," or "certificate of addition," or if, in Box No. V, the name of the United States of America is accompanied by an indication "continuation" or "continuation-in-part": in such case, write "Continuation of Box No. V" and the name of each State involved (or OAPI), and after the name of each such State (or OAPI), the number of the parent title or parent application and the date of grant of the parent title or filing of the parent application;*
- (vi) *if, in Box No. VI, there are more than three earlier applications whose priority is claimed: in such case, write "Continuation of Box No. VI" and indicate for each additional earlier application the same type of information as required in Box No. VI;*
- (vii) *if, in Box No. VI, the earlier application is an ARIPO application: in such case, write "Continuation of Box No. VI", specify the number of the item corresponding to that earlier application and indicate at least one country party to the Paris Convention for the Protection of Industrial Property or one Member of the World Trade Organization for which that earlier application was filed.*

2. *If, with regard to the precautionary designation statement contained in Box No. V, the applicant wishes to exclude any State(s) from the scope of that statement: in such case, write "Designation(s) excluded from precautionary designation statement" and indicate the name or two-letter code of each State so excluded.*

3. *If the applicant claims, in respect of any designated Office, the benefits of provisions of the national law concerning non-prejudicial disclosures or exceptions to lack of novelty: in such case, write "Statement concerning non-prejudicial disclosures or exceptions to lack of novelty" and furnish that statement below.*


Continuation of Box III:

Further applicants and inventors:

1. HABUTO, Akinaka
c/o Meiji Seika Kaisha, Ltd., 4-16, Kyobashi 2-chome, Chuo-ku, Tokyo 104-8002 Japan
2. IINUMA, Katsuharu
c/o Pharmaceutical Research Center, Meiji Seika Kaisha, Ltd., 760, Morooka-cho, Kohoku-ku, Yokohama-shi, Kanagawa 222-0002 Japan
3. FUJIKI, Hiroaki
c/o Food Research & Development Labs., Meiji Seika Kaisha, Ltd., 3-1, Chiyoda 5-chome, Sakado-shi, Saitama 350-0214 Japan
4. HORII, Kazuo
c/o Food Research & Development Labs., Meiji Seika Kaisha, Ltd., 3-1, Chiyoda 5-chome, Sakado-shi, Saitama 350-0214 Japan
5. IGARASHI, Susumu
c/o Food Research & Development Labs., Meiji Seika Kaisha, Ltd., 3-1, Chiyoda 5-chome, Sakado-shi, Saitama 350-0214 Japan
6. YAMAMURO, Munehiro
c/o Food Research & Development Labs., Meiji Seika Kaisha, Ltd., 3-1, Chiyoda 5-chome, Sakado-shi, Saitama 350-0214 Japan
7. ENOMOTO, Koichi, c/o Food Research & Development Labs., Meiji Seika Kaisha, Ltd., 3-1, Chiyoda 5-chome, Sakado-shi, Saitama 350-0214 Japan

Nationality of all inventors and applicants is Japanese

All persons are applicants and inventors for the purposes of the United States of America only

Box No. VI PRIORITY CLAIM		<input type="checkbox"/> Further priority claims are indicated in the Supplemental Box.		
Filing date of earlier application (day/month/year)	Number of earlier application	Where earlier application is:		
		national application: country	regional application:* regional Office	international application: receiving Office
item (1) October 12, 1999	1999-289314	JP		
item (2) February 28, 2000	2000-50918	JP		
item (3)				
<input type="checkbox"/> The receiving Office is requested to prepare and transmit to the International Bureau a certified copy of the earlier application(s) (only if the earlier application was filed with the Office which for the purposes of the present international application is the receiving Office) identified above as item(s): _____				
<small>* Where the earlier application is an ARIPO application, it is mandatory to indicate in the Supplemental Box at least one country party to the Paris Convention for the Protection of Industrial Property for which that earlier application was filed (Rule 4.10(b)(ii)). See Supplemental Box.</small>				
Box No. VII INTERNATIONAL SEARCHING AUTHORITY				
Choice of International Searching Authority (ISA) (if two or more International Searching Authorities are competent to carry out the international search, indicate the Authority chosen; the two-letter code may be used):		Request to use results of earlier search; reference to that search (if an earlier search has been carried out by or requested from the International Searching Authority):		
ISA / EP		Date (day/month/year) Number Country (or regional Office)		
Box No. VIII CHECK LIST; LANGUAGE OF FILING				
This international application contains the following number of sheets: request : 5 description (excluding sequence listing part) : 38 claims : 4 abstract : 1 drawings : sequence listing part of description : Total number of sheets : 48		This international application is accompanied by the item(s) marked below: 1. <input type="checkbox"/> fee calculation sheet 2. <input type="checkbox"/> separate signed power of attorney 3. <input type="checkbox"/> copy of general power of attorney; reference number, if any: 4. <input type="checkbox"/> statement explaining lack of signature 5. <input checked="" type="checkbox"/> priority document(s) identified in Box No. VI as item(s): (1) and (2) 6. <input type="checkbox"/> translation of international application into (language): 7. <input type="checkbox"/> separate indications concerning deposited microorganism or other biological material 8. <input type="checkbox"/> nucleotide and/or amino acid sequence listing in computer readable form 9. <input type="checkbox"/> other (specify):		
Figure of the drawings which should accompany the abstract:		Language of filing of the international application: English		
Box No. IX SIGNATURE OF APPLICANT OR AGENT				
<small>Next to each signature, indicate the name of the person signing and the capacity in which the person signs (if such capacity is not obvious from reading the request).</small>				
 Dr. Rudolf Weinberger European Patent Attorney		Vossius & Partner Siebertstr. 4 81675 München (No. 31)		

For receiving Office use only	
1. Date of actual receipt of the purported international application: 3. Corrected date of actual receipt due to later but timely received papers or drawings completing the purported international application: 4. Date of timely receipt of the required corrections under PCT Article 11(2): 5. International Searching Authority (if two or more are competent): ISA /	2. Drawings: <input type="checkbox"/> received: <input type="checkbox"/> not received: 6. <input type="checkbox"/> Transmittal of search copy delayed until search fee is paid.

For International Bureau use only
Date of receipt of the record copy by the International Bureau:

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
19 April 2001 (19.04.2001)

PCT

(10) International Publication Number
WO 01/26487 A1

(51) International Patent Classification: A23L 2/78, 2/52

(21) International Application Number: PCT/IB00/01318

(22) International Filing Date:
18 September 2000 (18.09.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
11/289314 12 October 1999 (12.10.1999) JP
12/50918 28 February 2000 (28.02.2000) JP

(71) Applicant (for all designated States except US): **MEIJI SEIKA KAISHA, LTD.** [JP/JP]; 4-16, Kyobashi 2-chome, Chuo-ku, Tokyo 104-8002 (JP).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **KINOSHITA, Yuko** [JP/JP]; 10-6, Naritahigashi 1-chome, Suginami-ku, Tokyo 166-0015 (JP). **KINOSHITA, Toshio** [JP/JP]; 10-6, Naritahigashi 1-chome, Suginami-ku, Tokyo 166-0015 (JP). **KATAMUNE, Koji** [JP/JP]; Food Research & Development Labs., Meiji Seika Kaisha, Ltd., 3-1, Chiyoda 5-chome, Sakado-shi, Saitama 350-0214 (JP). **GOTO, Takushi** [JP/JP]; Food Research & Development Labs., Meiji Seika Kaisha, Ltd., 3-1, Chiyoda 5-chome, Sakado-shi, Saitama 350-0214 (JP). **TAKIZAWA, Toshio** [JP/JP]; Food Research & Development Labs., Meiji Seika Kaisha, Ltd., 3-1, Chiyoda 5-chome, Sakado-shi, Saitama 350-0214 (JP). **HABUTO, Akinaka** [JP/JP]; Meiji Seika Kaisha, Ltd., 4-16, Kyobashi 2-chome, Chuo-ku, Tokyo 104-8002 (JP). **IINUMA, Katsuharu** [JP/JP]; Pharmaceutical Research Center, Meiji Seika Kaisha, Ltd., 760, Morooka-cho, Kohoku-ku, Yokohama-shi, Kanagawa 222-0002 (JP). **FUJIKI, Hiroaki** [JP/JP]; Food Research & Development Labs., Meiji Seika Kaisha, Ltd., 3-1,

Chiyoda 5-chome, Sakado-shi, Saitama 350-0214 (JP). **HORI, Kazuo** [JP/JP]; Food Research & Development Labs., Meiji Seika Kaisha, Ltd., 3-1, Chiyoda 5-chome, Sakado-shi, Saitama 350-0214 (JP). **IGARASHI, Susumu** [JP/JP]; Food Research & Development Labs., Meiji Seika Kaisha, Ltd., 3-1, Chiyoda 5-chome, Sakado-shi, Saitama 350-0214 (JP). **YAMAMURO, Munehiro** [JP/JP]; Food Research & Development Labs., Meiji Seika Kaisha, Ltd., 3-1, Chiyoda 5-chome, Sakado-shi, Saitama 350-0214 (JP). **ENOMOTO, Koichi** [JP/JP]; Food Research & Development Labs., Meiji Seika Kaisha, Ltd., 3-1, Chiyoda 5-chome, Sakado-shi, Saitama 350-0214 (JP).

(74) Agents: **KUBOTA Fujio** et al.; E-1 Bldg. 3-12, Nihombashi 3-chome, Chuo-Ku, Tokyo 103-0027 (JP).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

- With international search report.
- Before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: **LOW POTASSIUM JUICE, METHOD FOR PRODUCING THEREOF AND FOOD CONTAINING THE SAME**

(57) Abstract: The present invention provides low potassium juice having an improved taste obtained by decreasing the potassium content of juice reamed from fruit and/or vegetable to one-tenth or less and adding a calcium compound and its production method as well as food containing the low potassium juice. The low potassium juice of the present invention not only has a decreased potassium content but also intends to improve taste and nutritional balance so that it can be taken with good taste. Further, powdered juice, foods such as jelly, candy, and gummy, which contain the low potassium juice as a raw material, are provided. The drink and food are suitable for patients whose kidney function has decreased and who are under limitation as to the uptake of potassium, such as those suffering kidney failure.



WO 01/26487 A1

LOW POTASSIUM JUICE, METHOD FOR PRODUCING THEREOF AND FOOD
CONTAINING THE SAME

FIELD OF THE INVENTION

The present invention relates to a low potassium juice, a method for producing thereof and a use thereof, and more particularly to a low potassium juice with a favorable flavor, a method for producing thereof and a food in which the low potassium juice is used as a raw material. The flavor of the potassium juice is improved by decreasing the concentration of potassium and by adding a calcium compound thereto. Further, the present invention relates to a low potassium juice and a food utilizing the same, which are suitable for patients suffering from kidney failure who are allowed to take limited amounts of potassium and to whom administration of calcium carbonate is necessary.

BACKGROUND OF THE INVENTION

In cells of animals inclusive of humans, potassium mainly exist in an intracellular fluid and in a pair with sodium which exists mainly in an extracellular fluid and plays an important role in maintaining the homeostasis of a living organism as one of major factor in the acid-base equilibrium. However, since patients suffering from kidney failure have decreased functions of discharge of potassium and of maintaining blood ion balance so that they tend

to suffer from hyperkalemia, hyperphosphatemia, or hypocalcemia. An extreme increase in serum potassium level may cause the stop of the heart function and, in the worst cases, fatal situation.

Therefore, patients with kidney failure are subjected to strict restriction on the uptake of potassium and, in particular, they cannot freely take fruit or vegetables containing potassium in large amounts. As described above, patients with kidney failure tend to be suffering from hyperphosphatemia or hypocalcemia, and hence administration of calcium carbonate to such patients is necessary. Further, in the case of those patients who are subjected to the restriction on the uptake of fruit and vegetables, there arises a new problem that the contents of meal are unbalanced and it is difficult to maintain a nutritional balance.

Treatment of juice with ion exchange resins itself is a technology which has been known for a long time. J. Sci. Food Agric. (1966), 17(11), 488-90 reports the use of cation and anion exchange resins in preventing the precipitation of argol and adjustment of the acidity of a grape juice. Also, it has been reported a trial to adjust potassium ion in juices using the ion exchange resins (Japanese Patent Application Laid-open No. Sho 61-209573, Brazilian Patent Application Laid-open No. 9704147, European Patent Application Laid-open No. 0339540).

However, foods adjusted to decrease the amount of potassium ion with ion exchange resins by the prior art have not always been

satisfactory in respect of health care, taste, texture, nutritional balance, etc. In the technology described in Japanese Patent Application Laid-open No. Sho 61-209573, since a decrease in the potassium content results in a considerable deterioration of the taste of juice, the amount of depotassification is restricted to 90% or less of the amount of potassium contained in the raw material juice. That is, the taste is maintained by allowing at least about 10% of potassium to remain. Further reduction in the content of potassium is not applied.

According to the guideline used in Japan, patients under maintenance blood dialysis who receives dialysis 3 times a week are subjected to a strict restriction on the uptake of potassium to 1.5 g/day. In this case, if the amount of potassium in juice reamed from fruit or a vegetable is reduced until it is suitable for drinking by patients with kidney failure, the acidity increases excessively and the taste is extremely aggravated so that a drinking having a taste suitable as juice has not been obtained.

Brazilian Patent Application Laid-open No. 9704147 and European Patent Application Laid-open No. 0339540 disclose methods for producing depotassified juice containing water-soluble calcium ions by using calcium type cation exchange resin in order to improve the degree of deterioration of the taste as described above. Brazilian Patent Application Laid-open No. 9704147 discloses the technology of exchanging potassium ions and sodium ions in juice

with calcium ions using calcium type cation exchange resin.

However, the calcium type cation exchange resin is limited in the content of water-soluble calcium salt necessary for the adjustment so that exchange of a large amount of calcium ions is unrealistic and it is only possible to provide juice which contains a trace amount of calcium ions in the range where they are water-soluble as contained in general beverages.

Since use of the calcium type cation exchange resins is unrealistic, European Patent Application Laid-open No. 0339540 discloses a method for producing low potassium juice using novel calcium type cation exchange resin. That is, it discloses a method for producing calcium containing juice using calcium type cation exchange resin composed of polystyrene resin having sulfon groups, crosslinked to 80% with divinylbenzene.

However, also in this case, there are technical barriers, that is the amount of potassium ions removed and volume of exchange by the calcium type cation exchange resin. Therefore, the prior art remains to provide juice still containing potassium ion in an amount of about 30% of the total amount of potassium ion contained in juice before the treatment.

Moreover, nowadays when ion exchange technology has been improved greatly, a method for the decationation of juice by means of ion exchange membranes has also been used widely. However, juice, which has a high solid content, causes clogging of the membrane,

so that a reduction in the amount of ion is limited to about one fifth of the cations contained in raw material juice.

As stated above, in the prior art, it has been known to provide juice by removal of potassium ions using cation exchange resin and optional addition of calcium by use of calcium type cation exchange resin. However, there has been a limitation in technology to remove a sufficient amount of potassium while retaining taste and exchange a large amount of calcium ions by use of calcium type cation exchange resin.

Concerning general methods for freeze-drying juice, the relationship between Bx of the product to be dried and freeze-drying temperature, the necessity of generating ice composed of small crystals and so on are disclosed in "Latest fruit juice/fruit beverage encyclopedia" published on October 1, 1997 by Asakura Publishing Co., Ltd. page 287 (ISBN 4-254-43060-4). However, no mention is made of specific treatments of low potassium juice. Next, concerning general methods for producing jelly and gummy, their formula and production method are described in "Encyclopedia of confectionery" published on May 20, 2000 by Asakura Publishing Co., Ltd., pages 397-400 (ISBN 4-254-43063-9), but no mention is made of products containing low potassium juice. Also, as for general candy, various formulae and production methods are described on pages 386 to 392 of the above-cited "Encyclopedia of confectionery" but no mention is made of products containing low potassium juice

as described above. Furthermore, concerning jelly hot-filled in a soft container equipped with a mouthpiece having a cap and sealed, jelly-like fluid drink containing collagen peptide and peach juice is disclosed in Japanese Patent Application Laid-open No. Hei 11-75726, but no mention is made of products containing low potassium juice.

It is needless to say that taste is one of the important elements of food according to the present invention. Foods from which merely potassium has been removed are not satisfactory to patients suffering from chronic kidney failure who are compelled to be subjected to dietary control for a long period of time. This is a serious problem.

However, scientific clarification of sensation of taste of humans has not been made sufficiently yet and in actualities, novel foods and new tastes have been developed by at random screening and tremendous efforts by food technicians.

SUMMARY OF THE INVENTION

An object of the present invention is to solve the problems associated with the prior art as described above. More particularly, an object of the present invention is to provide a low potassium juice produced by the preparation method described below and various foods such as powdered low potassium juice, jelly, gummy, candy produced from the low potassium juice as a raw material which not

only contain a reduced amount of potassium but also have improved taste and nutritional balance so that it can be taken with good taste for patients who suffer from malfunction for kidney such as kidney failure. In addition it is intended for the therapy of patients with kidney failure, i.e., control of blood potassium ion as well as improvement and prevention of hypocalcemia and hyperphosphatemia with calcium carbonate.

Among others, in the case of patients suffering serious kidney failure, even the amount of water contained in usual juice imposes a large load on the kidney to discharge it and in addition uptake of potassium is strictly limited as described above. On the medical site under such circumstances, simply rock ice or cube ice is given to the patients as a tasty material for limited water uptake. In view of this situation, intensive investigation has been made on low potassium food having a relatively low water content and allowing supplemental uptake of energy originated from carbohydrates and as a result it has been successful to develop various foods containing low potassium juice as described above, thus achieving the present invention.

First, to obtain low potassium juice, intensive search and study have been made in every direction. Decreasing the potassium content with a use of cation exchange resin resulted in an excessive increase in acidity so that low potassium juice of fruit and/or low potassium juice of vegetable which has lost taste could be

obtained. However, addition of a suitable amount of a calcium compound selected from calcium carbonate and calcium hydroxide in the solid state to the juice has neutralized the acidity and improved the taste so that it could be taken with good taste. Then, it has been found that the above-described various foods applied from the low potassium juice as a raw material can be used for the therapy of patients suffering kidney insufficiency, for the purpose of maintaining the balance between blood potassium ion and phosphate ion in the body, and for the purpose of supplying energy to the body by carbohydrates inevitably added to various foods containing low potassium juice.

Generally, for the neutralization of acidity, addition of a basic compound is considered. However, addition of a basic substance containing potassium or sodium which has been removed from juice cannot be adopted for juice for patients suffering from kidney failure who are subjected to restriction on the uptake of potassium or sodium. Conventional technologies using calcium type cation exchange resins have limitations on the amount of potassium to be removed and the volume amount of calcium ion to be exchanged as described above.

On the other hand, calcium carbonate is a water-insoluble compound and as described in The Merck Index (12th ed., Merck & Co., Inc., pp271-272), calcium carbonate has been used widely for animals or humans as a supplement for calcium ions and as an

antioxidant. It has been widely administered to patients suffering from kidney failure as described below in order to suppress the absorption of phosphoric acid so that juice containing it or various foods applied from it as a raw material is not only safe when taken by the patients but also is expected to exhibit a suppressing effect on the absorption of phosphoric acid.

In the conventional technologies, it has been tried to solve the problem of taste by use of water-soluble calcium ions. On the contrary, the present inventors have found that the problem can be solved by the addition of water-insoluble calcium carbonate or sparingly water-soluble calcium hydroxide in the solid states. That is, various kinds of juice are taken generally with the mouth feel and taste of the solids contained in fruit or vegetables and on this occasion, the addition of calcium carbonate or calcium hydroxide in the solid state can neutralize excessive acidity without deteriorating the taste. The present invention has been achieved based on this finding.

Since the potassium content varies depending on the kind of the original raw material juice as obtained by reaming fruit or vegetable, the amount of cation exchange resin adapted for the potassium content of each original raw material juice and contact time are taken into consideration in order to produce many kinds of low potassium juice and it has been found that by so doing the above-described various foods using low potassium juice from which

a sufficient amount of potassium has been removed, preferably the amount of potassium has been decreased to less than one-tenth, more preferably no more than one-twentieth of the amount of potassium contained in the original raw material juice as a raw material can be provided.

Further, the present inventors have completed the present invention having the great feature that has not been attained by the conventional technologies that the amount of calcium carbonate can be controlled in accordance with the state of patients suffering from kidney failure. In other words, the present inventors have found that the addition of calcium carbonate or calcium hydroxide in the solid state to juice, which is obtained by sufficiently depotassifying fruit or vegetable juice and has reduced its taste, in amounts or necessary for the therapy of patients suffering from kidney failure can simultaneously solve the problems of taste and consideration for conditions of various foods for patients suffering from kidney failure.

Accumulation of phosphoric acid in the body is an important problem to patients suffering from kidney failure and it has been an important daily subject to limit the uptake of food containing phosphoric acid and suppress the absorption of phosphoric acid. That is, a general doctors' manual in the U. S., The Merck Manual (5th ed., Merck Sharp & Dohme Research Laboratories, pp 1551-1652, esp. pp 1573 (1987)) describes that in patients suffering from

kidney failure abnormal metabolisms of calcium ion, phosphate ion, parathyroid hormone and vitamin D in blood occur, which when left to stand without any treatment will cause hypocalcemia and hyperphosphatemia, and that in daily diet therapy for patients suffering from kidney failure, food containing potassium must be avoided and calcium carbonate, an absorption suppressor for phosphoric acid, must be taken in order to avoid deterioration of hyperphosphatemia.

Therefore, it is reasonable to add calcium carbonate to low potassium juice obtained by treatment with cation exchange resin in order to solve such a problem. In fact, in the therapy of hyperphosphatemia with an absorption suppressor for phosphoric acid, aluminum hydroxide and aluminum carbonate have been conventionally used. Currently, to avoid toxicity, calcium carbonate (0.5 to 1.5 g/day) is administered orally.

The first aspect of the present invention provides low potassium juice having an improved taste obtained by treating juice reamed from fruit and/or vegetable with a cation exchange resin to decrease the potassium content of original raw material juice to no more than one-tenth, preferably no more than one-twentieth, and adding a calcium compound selected from calcium carbonate and calcium hydroxide in the solid state to the juice.

The second aspect of the present invention provides the low potassium juice as claimed in claim 1, characterized in that the

treatment with a cation exchange resin is a column treatment or batch treatment.

The third aspect of the present invention provides the low potassium juice as claimed in claim 1, characterized in that the cation exchange resin is of an H^+ form.

The fourth aspect of the present invention provides a method for producing low potassium juice having an improved taste, characterized by comprising treating juice reamed from fruit and/or vegetable with a cation exchange resin to decrease the potassium content of original raw material juice to no more than one-tenth, preferably no more than one-twentieth, and adding a calcium compound selected from calcium carbonate and calcium hydroxide in the solid state to the juice.

The fifth aspect of the present invention provides the method for producing low potassium juice as claimed in claim 4, characterized in that the treatment with a cation exchange resin is a column treatment or batch treatment.

The sixth aspect of the present invention provides the method for producing low potassium juice as claimed in claim 5, characterized in that the cation exchange resin is of an H^+ form.

The seventh aspect of the present invention provides low potassium juice having an improved taste obtained by treating juice reamed from fruit and/or vegetable with a cation exchange resin to decrease the potassium content of original raw material juice

to no more than one-tenth, preferably no more than one-twentieth, adding a calcium compound selected from calcium carbonate and calcium hydroxide in the solid state to the juice, and adding organic acid.

The eighth aspect of the present invention provides the low potassium juice as claimed in claim 7, characterized in that the organic acid is at least one organic acid selected from the group consisting of vitamin C, citric acid, malic acid, and lactic acid.

The ninth aspect of the present invention provides the low potassium juice as claimed in claim 7, characterized in that the treatment with a cation exchange resin is a column treatment or batch treatment.

The tenth aspect of the present invention provides the low potassium juice as claimed in claim 7, characterized in that the cation exchange resin is of an H⁺ form.

The eleventh aspect of the present invention provides powdered low potassium juice obtained by treating juice reamed from fruit and/or vegetable with a cation exchange resin to decrease the potassium content of original raw material juice to no more than one-tenth, preferably no more than one-twentieth, adding a calcium compound selected from calcium carbonate and calcium hydroxide in the solid state to the juice, adding an excipient, and subjecting the mixture to freeze-drying treatment.

The twelfth aspect of the present invention provides the

powdered low potassium juice as claimed in claim 11, characterized in that the treatment with a cation exchange resin is a column treatment or batch treatment.

The thirteenth aspect of the present invention provides the powdered low potassium juice as claimed in claim 11, characterized in that the cation exchange resin is of an H⁺ form.

The fourteenth aspect of the present invention provides low potassium juice-containing food, characterized by containing the low potassium juice as claimed in claim 1 or 7, or powdered low potassium juice as claimed in claim 11.

The fifteenth aspect of the present invention provides low potassium juice-containing food as jelly, characterized by comprising the low potassium juice as claimed in claim 1 or 7 or powdered low potassium juice as claimed in claim 11, a gelling agent, a thickener, and carbohydrates.

The sixteenth aspect of the present invention provides low potassium juice-containing food as jelly, characterized by hot filling a heated mixture of food consisting of the low potassium juice as claimed in claim 1 or 7 or powdered low potassium juice as claimed in claim 11, a gelling agent, and carbohydrates in a soft container equipped with a mouthpiece having a cap.

The seventeenth aspect of the present invention provides low potassium juice-containing food as gummy, characterized by comprising the low potassium juice as claimed in claim 1 or powdered

low potassium juice as claimed in claim 11, a gelatin, carbohydrates, an organic acid, and a flavoring.

The eighteenth aspect of the present invention provides low potassium juice-containing food as candy, characterized by comprising the low potassium juice as claimed in claim 1 or 7 or powdered low potassium juice as claimed in claim 11, carbohydrates, and a flavoring.

The nineteenth aspect of the present invention provides low potassium juice for patients suffering from kidney failure, characterized by comprising juice reamed from fruit and/or vegetable being decreased the potassium content thereof to no more than one-tenth, preferably no more than one-twentieth and having 0.5 to 20 g/kg of a calcium compound.

The present invention provides low potassium juice for patients suffering kidney insufficiency, having good taste and maintaining nutrition balance obtained by treating usual juice containing potassium, so-called original raw material juice, with a cation exchange resin to decrease the potassium content of the original raw material juice to less than one-tenth, preferably no more than one-twentieth, adding a calcium compound selected from calcium carbonate and calcium hydroxide in the solid state to the juice, and optionally adding vitamin C, citric acid, malic acid, lactic acid, etc., a production method for producing the low potassium juice, and foods containing the low potassium juice. The

foods containing low potassium juice include, for example, powdered juice, nectar, jelly, mousse, jam, pudding, candy, etc.

As described above, specific embodiments of the present invention includes, (1) low potassium juice having an improved taste obtained by treating juice reamed from fruit and/or vegetable with a cation exchange resin to decrease the potassium content of original raw material juice to no more than one-tenth, preferably no more than one-twentieth, and adding a calcium compound selected from calcium carbonate and calcium hydroxide in the solid state to the juice, (2) a method for producing a low potassium juice having an improved taste, comprising treating juice reamed from fruit and/or vegetable with a cation exchange resin to decrease the potassium content of original raw material juice to no more than one-tenth, preferably no more than one-twentieth, and adding a calcium compound selected from calcium carbonate and calcium hydroxide in the solid state to the juice, (3) low potassium juice having an improved taste obtained by treating juice reamed from fruit and/or vegetable with a cation exchange resin to decrease the potassium content of original raw material juice to no more than one-tenth, preferably no more than one-twentieth, adding a calcium compound selected from calcium carbonate and calcium hydroxide in the solid state to the juice, and adding such organic acid as vitamin C, citric acid, malic acid, lactic acid and mixture thereof, (4) powdered low potassium juice obtained by treating juice

reamed from fruit and/or vegetable with a cation exchange resin to decrease the potassium content of original raw material juice to no more than one-tenth, preferably no more than one-twentieth, adding a calcium compound selected from calcium carbonate and calcium hydroxide in the solid state to the juice, adding an excipient, and subjecting the mixture to freeze-drying treatment, (5) foods containing the low potassium juice or powdered low potassium juice, and (6) low potassium juice for patients suffering kidney failure, comprising juice reamed from fruit and/or vegetable and containing 0.5 to 20 g/kg of a calcium compound, and the potassium content of the juice is decreased to no more than one-tenth, preferably no more than one-twentieth.

DESCRIPTION OF PREFERRED EMBODIMENTS

The original raw material juice used in the present invention includes all the types of juice such as juice obtained by reaming a vegetable, juice obtained by reaming a fruit, and juice obtained by mixing the juices. As for preliminarily concentrated juice, it can be diluted to the concentration of the original raw material juice or the concentration which enables ion exchange treatment as described hereinbelow.

The cation exchange resin used in the present invention may be any of commercially available cation exchange resins, which are adjusted to H⁺ form by a conventional method before use. The

treatment with cation exchange resin may be a batch process or a column process. When the treatment is carried out in a batch process, about 20 to 1,000 g of cation exchange resin which is dried per 1,000 g of raw material juice is provided and added it to the raw material juice, followed by stirring for 20 minutes or more, usually for about 30 minutes and filtration.

On the other hand, when the treatment is carried out in a column process, a column packed with about 85 to 500 in weight (g) or volume (mL) of cation exchange resin per 1,000 g of raw material juice is provided and the raw material juice is charged therein and allowed to pass therethrough over 0.5 to 2.0 hours.

Thus, the treatment with cation exchange resin can reduce the potassium content in the raw material juice to one-tenth or less compared with the original content. The potassium content may be reduced to one-twentieth or less compared with the original content depending on the kind of raw material juice, amount of the cation exchange resin used, the contact time in which the juice contacts the cation exchange resin and other factors. In view of productivity and efficiency of ion exchange, the treatment by a column process is preferred.

Further, low potassium juice with improved taste, acidity, and nutrition can be produced by adding to the juice, after the treatment with cation exchange resin to lower the content of potassium, a calcium compound selected from the group consisting

of calcium carbonate and calcium hydroxide in the solid state in an amount of 0.5 to 20 g/kg, preferably to such an extent that the pH of the raw material juice is not returned completely to keep a preservation stability and a taste like the original raw material juice, and if necessary adding vitamin C, citric acid, malic acid, lactic acid, and the like.

Depending on the balance between phosphate ion concentration and potassium ion concentration in blood, patients suffering from kidney failure can take 0.5 to 1.5 g a day of calcium carbonate.

The low potassium juice provided by the present invention may, if necessary, be blended, within the range where no adverse effect to the function of kidney is observed, with various vitamins, carbohydrates, dyestuffs, flavors to impart variation in taste. Of course, the juice can be provided as it is as a beverage. However, if necessary, it may be subjected to preparing into powder or agglomerates in addition to the steps of concentration, drying, and agglomeration. The product in the form of powder or agglomerates can be taken as it is or returned to a liquid state by addition of water, or added to other foods.

EXAMPLES

Hereafter, the present invention will be described in detail by means of examples. However, the present invention is not limited thereto.

In the examples, the cation exchange resin used was commercially available cation exchange resin, Dowex 50W-X4 or SK1B (MITSUBISHI DIA ION Co., LTD.) preliminarily adjusted by the following procedures.

That is, purified water was added to 500 g of the cation exchange resin and the mixture was stirred to sufficiently wash the resin. To the drained resin was added 500 mL of ethanol and the mixture was stirred for 30 minutes. Then, ethanol was removed by filtration. After the washing operation with ethanol was repeated 3 times, ethanol was changed to purified water to conduct washing. To the water-washed resin was added 500 mL of 1M sodium hydroxide solution and the mixture was stirred for 30 minutes. Thereafter, the resin was recovered by filtration. After the operation of the treatment with sodium hydroxide solution was repeated 5 times, the resin was washed with water, until the washing became neutral.

Then, the washed resin was packed in a column, through which was passed 2,500 mL of 3 M hydrochloric acid solution and further the column was washed with water until the washing became neutral. After the above operations, the resin as it was or after sufficiently drying it by suction filtration, served as H⁺ form cation exchange resin.

The amounts of ethanol, purified water, 1M sodium hydroxide solution, and washing, etc. may be selected appropriately along with an increase or decrease of the amount of cation exchange resin

used in accordance with the amount of the original raw material juice.

Example 1

Production method in a batch process

The dried H⁺ form cation exchange resin in the amount shown in Table 1 was added in 1,000 mL of each of commercially available 100% orange juice, 100% apple juice, 100% grape fruit juice, and 100% grape juice as a raw material juice and the mixture was stirred for 30 minutes to adsorb potassium. Thereafter, calcium carbonate in the solid state in the amount shown in Table 1 was added to each juice after filtration. Further, to each juice was further added vitamin C such that its concentration was equivalent to that of the juice before the treatment as measured by a titration method. The mixture was stirred to dissolve the additives thereby producing low potassium juice, final product.

The concentration of potassium in juice was measured by using Automated Electrolyte Analyzer EA05 (A and T) and the pH of juice was measured by using commercially available pH meter before and after the treatment with the cation exchange resin without the addition of vitamin C. The results are shown in Table 1.

As can be seen from the results, juice having a potassium content reduced to one-tenth or one-twentieth of the original one were produced.

Table 1 Results of treatment of various kinds of juice with ion exchange resin

		Orange juice	Apple juice	Grapefruit juice	Grape juice
Raw material juice (mL)		1,000	1,000	1,000	1,000
Amount of resin used (g)		50	40	50	25
Concentration of potassium (mmol/L)	Before treatment	48.0	25.7	38.6	7.6
	After treatment	2.5	0.8	2.1	0.6
Potassium removal ratio		0.950	0.962	0.947	0.923
pH	After treatment	3.81	4.05	3.30	3.00
	Before treatment	2.18	2.28	2.02	2.07
Amount of calcium carbonate added (g/L)		2.61	2.08	3.65	1.56

Test 1

200 mL of low potassium orange juice having a potassium concentration of 2.5 mmol/L prepared by the method in accordance with that in Example 1 was given to each of patients suffering from kidney failure who were receiving the same dialysis therapy once at the time of dialysis and once at non-dialysis time. The change in blood potassium level in the patients before and after the uptake was measured using Automated Electrolyte Analyzer EA05 (A and T). Table 2 shows the measured values obtained.

From the results, it revealed that the low potassium orange juice produced by the present invention caused no change in blood

potassium level when taken by patients suffering from kidney failure so that it can be given to the patients who suffer from kidney failure safely.

Table 2 Change in blood potassium level when low potassium orange juice is given

Patient	Blood potassium level (mmol/L)			
	Upon dialysis		Upon non-dialysis	
	1 hour before uptake	1 hour after uptake	1 hour before uptake	1 hour after uptake
A	5.5	3.5	5.5	5.5
B	4.9	4.3	4.9	4.9
C	4.5	3.3	4.5	4.5

Example 2

Production method in a batch process

To 1,000 mL of commercially available green-yellow vegetable juice (raw material: celery, parsley, watercress, cabbage, radish, spinach, or trefoil) was added 700 g of cation exchange resin and the treatment with the cation exchange resin was carried out in the same manner as in Example 1 to obtain the vegetable juice from which potassium was removed by adsorption.

Then, to the vegetable juice was added calcium carbonate in the solid state in the amount shown in Table 3 and thereafter vitamin C was added to the vegetable juice such that the concentration was equivalent to that before the treatment as measured by a titration method. The mixture was stirred to dissolve the additives thereby

producing low potassium juice, final product.

Before the treatment with the cation exchange resin and before the addition of vitamin C, the concentration of potassium in juice and the pH of juice were measured in the same manner as in Example 1. The results are shown in Table 3. As can be seen from the results, green-yellow vegetable juice having a potassium content reduced to one-twentieth of the original one were produced.

Table 3 Results of treatment of vegetable juice with ion exchange resin

Amount of juice used (mL)		1,000
Amount of resin used (g)		700
Concentration of potassium (mmol/L)	Before treatment	128.7
	After treatment	6.2
Potassium removal ratio		0.952
pH	After treatment	4.01
	Before treatment	0.99
Amount of calcium carbonate added (g/L)		13.3

Example 3

Production method in a column process

First, 2,000 kg of deionized water was added to 500 kg of 5-fold concentrated orange juice and the mixture was well stirred and mixed and depulping treatment was carried out using a centrifuge. 1,250 kg of the depulped 100% orange juice was collected and weighed.

Moreover, 1,080 kg of deionized water was added to 180 kg of

7-fold concentrated clarified apple juice and the mixture was well stirred and mixed to prepare 100% apple juice.

Further, 85 kg of 6-fold concentrated carrot squeezed juice, 7 kg of 10-fold concentrated tomato squeezed juice, 10 kg of 6-fold concentrated spinach squeezed juice, 190 kg of above 100% orange juice, 43 kg of 7-fold concentrated clarified apple juice, 31 kg of 4-fold concentrated turbid apple juice and 884 kg of deionized water were stirred and mixed well to prepare mixed juice.

The prepared juice used as raw materials were passed through a cylindrical column of 2 m in height and 55 cm in diameter packed with 303 kg of dry H type cation exchange resin SK1B (Mitsubishi Dia Ion) from an upper part thereof over 1 hour, and then solid calcium carbonate were added as they were in the amount shown in Table 4 to produce low potassium juice, final products.

Before and after the treatment with the cation exchange resin, the concentration of potassium in juice were measured using Polarized Zeeman atomic-absorption spectrometer Z-5300 (Hitachi, Ltd.). The results are shown in Table 4.

As can be seen from the results, low potassium juices having a potassium content reduced to one-hundredth or less of the original one were produced.

Table 4 Results of ion exchange resin treatment of various raw material juices in a column process

		Orange juice	Apple juice	Mixed juice
Raw material juice (kg)		1,250	1,250	1,250
Amount of resin used (kg)		303	303	303
Concentration of potassium (mmol/kg)	Before treatment	80.5	29.7	59.5
	After treatment	0.16	0.05	0.15
Potassium removal ratio		0.998	0.998	0.998
pH	Before treatment	3.80	3.68	4.29
	After treatment	1.97	2.30	1.79
After addition of calcium carbonate		3.07	3.22	3.52
Addition amount of calcium Carbonate (g/kg)		2.7	0.8	2.5

Test 2

For various low potassium juice prepared during the steps in Example 3 or as final products, organoleptic tests were carried out before and after addition of calcium carbonate. The tests were carried out by a panel of specialists (20 persons) who had excellent taste discrimination ability. Hedonic scores were as follows.

- +2: taste was felt strongly.
- +1: taste was felt fairly.
- 0: unclear whether or not taste was felt.
- 1: taste was felt not so much.
- 2: almost no taste was felt.

The results expressed by average values of the hedonic scores

obtained are shown in Table 5.

Table 5 Sensory evaluation of taste before and after addition of calcium carbonate

Kind of juice	Before addition	After addition
Orange juice	-1.4	+1.6
Apple juice	-1.8	+1.7
Mixed juice	-1.7	+1.4

Example 4

To 1,250 kg of low potassium orange juice (pH 2.05) prepared in accordance with the method described in Example 3 except that no calcium carbonate was added was added 2.8 kg of solid calcium hydroxide as it was to produce low potassium orange juice (pH 3.25), final product.

The produced low potassium orange juice were evaluated in the same manner as the special panel described in Test 2. The result confirmed that the juice had similar taste to that of the low potassium orange juice to which was added calcium carbonate as described in Example 3.

Example 5

To 28.6 kg of 7-fold concentrated transparent apple juice and 200.0 kg of 4-fold concentrated turbid apple juice was added 771.4 kg of deionized water. The mixture was well stirred and mixed to prepare raw material apple juice.

The raw material apple juice was measured of the potassium content in 1 g by the method of Example 3, which revealed to be 1.10 mg. Subsequently, the column type ion exchange resin treatment was conducted in the same manner as in Example 3 to obtain low potassium apple juice and the amount of potassium in 1 g of the juice was measured by the method of Example 3. As a result, a value of 0.05 mg was obtained.

To 10 kg of the low potassium apple juice were added 1 kg of DE 8 dextrin as an excipient and 10.0 g of calcium carbonate and mixed to obtain low potassium juice containing calcium carbonate. The juice was charged in a tray made of stainless steel to a thickness of 1 cm. The tray was subjected to quick freezing treatment at -25°C for 8 hours and then to ordinary freeze-drying at 26.7 Pa to obtain low potassium powdered juice.

Comparative Example 1

For comparison, in the same manner as in Example 5, dextrin was added to the raw material apple juice obtained in the same manner as in Example 5 without conducting any ion exchange resin treatment and mixed. The mixture was charged in a tray made of stainless steel to a thickness of 1 cm. The tray was subjected to quick freezing treatment at -25°C for 8 hours and then to ordinary freeze-drying at 26.7 Pa to obtain ordinary powdered juice.

Test 3

The low potassium powdered juice obtained in Example 5 and

the powdered juice obtained in Comparative Example 1 were each reconstituted to natural juice concentration corresponding to 100% and taste tests were conducted by a panel of 20 panelists by alternative selection ratio in paired comparison test at a significance level of 5%. As a result, those who preferred the low potassium powdered juice were 40% and those who preferred ordinary powdered juice were 60% so that the results of test indicated no significant difference.

Example 6

6.83 kg of 6-fold concentrated carrot squeezed juice, 0.5 kg of 10-fold concentrated tomato squeezed juice, 0.83 kg of 6-fold concentrated spinach squeezed juice, 15 kg of 100% orange juice obtained in Example 3, 3.43 kg of 7-fold concentrated transparent apple juice, 2.5 kg of 4-fold concentrated turbid apple juice, and 55.15 kg of deionized water were well stirred and mixed to prepare ordinary mixed juice. Subsequently, column-type ion exchange resin treatment was performed in the same manner as in Example 3 to obtain low potassium mixed juice. The low potassium mixed juice was concentrated to Bx 13.3 using a vacuum concentrator.

Separately, a gelling agent mixture consisting of 31.5% by weight of agar, 5% by weight of xanthan gum, 5% by weight of locust bean gum, and 58.5% by weight of glucose and a thickener mixture consisting of 40% by weight of xanthan gum, 40% by weight of locust bean gum, and 20% by weight of glucose were prepared. Then, 514.5

g of stock water was added to 99 g of sugar, 8 g of the gelling agent mixture, and 0.4 g of the thickener mixture and the mixture was well mixed and dispersed and then dissolved at 90°C and mixed to prepare a sugar solution.

On the other hand, to 376 g of the low potassium mixed juice were added 0.24 g of solid calcium carbonate and 1.6 g of a flavoring and further the whole amount of the sugar solution, followed by heating at 60°C. Then, 80 g aliquots were filled in plastic containers and the openings were sealed with an appropriate wrapping material and subsequently pasteurized by a conventional method to obtain jelly.

Comparative Example 2

Citric acid (1.5 g) was added to 376 g of ordinary mixed juice obtained by a method similar to that described in Example 6 without performing any ion exchange treatment with ion exchange resin in order to make the pH equivalent to that of the product in Example 6. Further, 1.6 g of a flavoring was added and the same amount of the sugar solution as in Example 6 was added, followed by heating at 60°C. Thereafter, 80 g aliquots of the mixture were filled in plastic containers and the openings were sealed with an appropriate wrapping material and subsequently pasteurized by a conventional method to obtain ordinary jelly.

Test 4

The amount of potassium in 100 g of the low potassium mixed

juice containing jelly obtained in Example 6 was measured by the method described in Example 3 and the result of 6.46 mg was obtained. On the other hand, the amount of potassium in 100 g of ordinary jelly containing the ordinary mixed juice obtained in Comparative Example 2 was 132.09 mg.

Then, the low potassium mixed juice containing jelly obtained in Example 6 and the ordinary jelly composed of ordinary mixed juice obtained in Comparative Example 2 were subjected to taste tests by a panel of 20 panelists by alternative selection ratio in a paired comparison test at a significance level of 5%. As a result, those who preferred the low potassium mixed juice containing jelly were 45% and those who preferred the ordinary jelly composed of ordinary mixed juice were 55% so that the results of test indicated no significant difference.

Example 7

To 28.6 kg of 7-fold concentrated clarified apple juice and 200.0 kg of 4-fold concentrated turbid apple juice was added 771.6 kg of deionized water. The mixture was well stirred and mixed to prepare raw material apple juice. Subsequently, the column type ion exchange resin treatment was conducted in the same manner as in Example 3 to obtain low potassium apple juice. The low potassium apple juice was concentrated to Bx 13.3 using a vacuum concentrator.

Separately, a gelling agent mixture consisting of 31.5% by weight of agar, 5% by weight of xanthan gum, 5% by weight of locust

bean gum, and 58.5% by weight of glucose and a thickener mixture consisting of 40% by weight of xanthan gum, 40% by weight of locust bean gum, and 20% by weight of glucose were prepared.

Then, 85 g of sucrose, 9 g of the gelling agent mixture, and 0.4 g of the thickener mixture, and 531.3 g of stock water were well mixed and dispersed and then dissolved at 90°C and mixed to prepare a sugar solution. On the other hand, to 375 g of the low potassium apple juice were added 0.35 g of calcium carbonate and 1.0 g of a flavoring and further the whole amount of the sugar solution, followed by heating at 92°C. Then, 150 g aliquots were hot filled and sealed in soft containers each equipped with a mouthpiece having a cap to obtain jelly. The pH of the product was 3.8.

Comparative Example 3

A flavoring (1.0 g) was added to 375 g of ordinary apple juice obtained by a method similar to that described in Example 7 except that treatment with ion exchange resin was not performed and the same amount as in Example 7 of the sugar solution prepared in the same manner as in Example 7 was added, followed by heating at 92°C. Then, 150 g aliquots were hot filled and sealed in soft containers each equipped with a mouthpiece having a cap to obtain jelly. The pH of the product was also 3.8.

Test 5

The amount of potassium in 100 g of the low potassium apple

juice containing jelly obtained in Example 7 was measured by the method described in Example 3 and the result of 5.08 mg was obtained. On the other hand, the amount of potassium in 100 g of ordinary jelly composed of the ordinary apple juice obtained in Comparative Example 3 was 57.84 mg.

Concerning the calcium content in each product, it was 13 mg for the low potassium apple juice containing jelly obtained in Example 7 and 3 mg for the ordinary jelly composed of the ordinary apple juice obtained in Comparative Example 3.

Then, the low potassium apple juice containing jelly obtained in Example 7 and the ordinary jelly composed of ordinary apple juice obtained in Comparative Example 3 were subjected to taste tests by a panel of 20 panelists by alternative selection ratio at a significance level of 5%. As a result, those who preferred the low potassium apple juice containing jelly were 50% and those who preferred the ordinary jelly composed of ordinary apple juice were 50% so that the results of test indicated no significant difference.

Further, ordinary fruit juice jellies commercially available under three different brands were measured of the amount of potassium by the method described in Example 3 and as a result 54.8 mg, 47.3 mg, and 62.3 mg per 100 g of the content were obtained.

Example 8

The low potassium apple juice obtained in Example 5 was concentrated to Bx 13.3 by a vacuum concentrator. 0.035% by weight

of solid calcium carbonate was added to the juice.

In a formulation of 2.9% by weight of the solid calcium carbonate containing juice, 48.5% by weight of sucrose, 48.5% by weight of high maltose corn syrup (containing 25% by weight of water), and 0.1% by weight of a flavoring, sucrose and high maltose corn syrup and water as much as one-third of sucrose were mixed and heated to 160°C and then cooled to 150°C. Then, the flavoring and the solid calcium carbonate containing juice obtained as above were added thereto and the mixture was mixed before it was molded to obtain candy.

The potassium content of the candy was measured by the method described in Example 3 to be 0.002 mg%. Measurement of the calcium content using the analyzer in Example 3 resulted in 1.143 mg%.

Comparative Example 4

The raw material apple juice in Example 5 which was not subjected to the treatment with ion exchange resin was concentrated to Bx 13.3 by a vacuum concentrator. Using the concentrated apple juice of Bx 13.3, ordinary candy was obtained in the same manner as in Example 8 without adding any calcium carbonate.

The potassium content of the candy measured by the method described in Example 3 was 4.505 mg%. Further, the calcium content measured using the analyzer in Example 3 was 0.075 mg%.

Test 6

The candy obtained in Example 8 and ordinary candy composed

of ordinary apple juice obtained in Comparative Example 4 were subjected to taste tests by a panel of 20 panelists by alternative selection ratio in paired comparison test at a significance level of 5%. As a result, those who preferred the candy of Example 8 were 45% and those who preferred the ordinary candy were 55% so that the results of test indicated no significant difference.

Example 9

In a formulation of 5.4% by weight of the low potassium powdered juice obtained in Example 5, 47.0% by weight of sucrose, 47.0% by weight of high maltose corn syrup (containing 25% by weight of water), sucrose, high maltose corn syrup, and water as much as one-third of sucrose were mixed and heated to 160°C and then cooled to 150°C. Then, the low potassium powdered juice, 0.1% by weight of a flavoring, 0.5% by weight of citric acid were added, mixed and molded to obtain candy.

The potassium content of the candy measured by the method described in Example 3 was 0.15 mg%. Further, the calcium content measured using the analyzer in Example 3 was 12 mg%.

Example 10

The calcium carbonate containing low potassium apple juice obtained in Example 5 was concentrated to Bx 14.4 by a vacuum concentrator. In a formulation of 77.040% by weight of the juice, 28.240% by weight of sucrose, 5.780% by weight of powdered sorbitol, 49.906% by weight of acid converted glucose syrup (containing 25%

by weight of water), 6.437% by weight of gelatin, 1.134% by weight of citric acid, 0.341% by weight of malic acid, 0.306% by weight of dyestuff, 0.144% by weight of a flavoring, sucrose, sorbitol, glucose syrup, and water as much as one-third of sucrose were mixed and heated to 125°C to obtain a boiled sugar solution.

On the other hand, gelatin was swollen with 1.5 fold volume of water. Then, the concentrated calcium carbonate containing low potassium apple juice, the boiled sugar solution, and the swollen gelatin were mixed. Finally, citric acid, malic acid, dyestuff, and a flavoring were mixed to obtain a gummy base of Bx79.

Next, the gummy base was cast in a starch mold and left to stand for a whole day and night to obtain molded gummy of Bx 82. The potassium content of the product measured by the method described in Example 3 was 0.8 mg% and the calcium content measured using the analyzer in Example 3 was 6.3 mg%.

Comparative Example 5

The raw material apple juice in Comparative Example 1 which was not subjected to the treatment with ion exchange resin was concentrated to Bx 14.4 by a vacuum concentrator. Using the concentrated apple juice of Bx 14.4, ordinary gummy was obtained in the same manner as in Example 9.

The potassium content of the product measured by the method described in Example 3 was 8.65 mg%. Further, the calcium content measured using the analyzer in Example 3 was 3.3 mg%.

Test 7

The gummy obtained in Example 10 and ordinary gummy obtained in Comparative Example 5 were subjected to taste tests by a panel of 20 panelists by alternative selection ratio in paired comparison test at a significance level of 5%. As a result, those who preferred the gummy of Example 10 were 40% and those who preferred the ordinary gummy were 60% so that the results of test indicated no significant difference.

INDUSTRIAL APPLICABILITY

According to the present invention, there are provided low potassium juice of which the potassium content has been decreased to one-tenth or less, preferably one-twentieth or less as compared with the natural content and a method for producing the juice as well as food containing the juice.

The low potassium juice of the present invention has improved taste by addition of calcium carbonate or calcium hydroxide in the solid state.

The powdered juice, jelly, candy, gummy, etc. produced by use of the low potassium juice have equivalent tastes to that of ordinary food.

The low potassium juice provided by the present invention are suitable for patients suffering from a decrease in kidney function, such as kidney failure, who are subjected to restriction on the

uptake of potassium. Further, the low potassium juice of the present invention and food containing it can be provided for the prevention of hyperphosphatemia in patients suffering from kidney failure.

CLAIMS

1. Low potassium juice having an improved taste obtained by treating juice reamed from fruit and/or vegetable with a cation exchange resin to decrease the potassium content of original raw material juice to no more than one-tenth, preferably no more than one-twentieth, and adding a calcium compound selected from calcium carbonate and calcium hydroxide in the solid state to the juice.
2. The low potassium juice as claimed in claim 1, characterized in that the treatment with a cation exchange resin is a column treatment or batch treatment.
3. The low potassium juice as claimed in claim 1, characterized in that the cation exchange resin is of an H⁺ form.
4. A method for producing low potassium juice having an improved taste, characterized by comprising treating juice reamed from fruit and/or vegetable with a cation exchange resin to decrease the potassium content of original raw material juice to no more than one-tenth, preferably no more than one-twentieth, and adding a calcium compound selected from calcium carbonate and calcium hydroxide in the solid state to the juice.

5. The method for producing low potassium juice as claimed in claim 4, characterized in that the treatment with a cation exchange resin is a column treatment or batch treatment.
6. The method for producing low potassium juice as claimed in claim 5, characterized in that the cation exchange resin is of an H^+ form.
7. Low potassium juice having an improved taste obtained by treating juice reamed from fruit and/or vegetable with a cation exchange resin to decrease the potassium content of original raw material juice to no more than one-tenth, preferably no more than one-twentieth, adding a calcium compound selected from calcium carbonate and calcium hydroxide in the solid state to the juice, and adding organic acid.
8. The low potassium juice as claimed in claim 7, characterized in that the organic acid is at least one organic acid selected from the group consisting of vitamin C, citric acid, malic acid, and lactic acid.
9. The low potassium juice as claimed in claim 7, characterized in that the treatment with a cation exchange resin is a column treatment or batch treatment.

10. The low potassium juice as claimed in claim 7, characterized in that the cation exchange resin is of an H⁺ form.

11. Powdered low potassium juice obtained by treating juice reamed from fruit and/or vegetable with a cation exchange resin to decrease the potassium content of original raw material juice to no more than one-tenth, preferably no more than one-twentieth, adding a calcium compound selected from calcium carbonate and calcium hydroxide in the solid state to the juice, adding an excipient, and subjecting the mixture to freeze-drying treatment.

12. The powdered low potassium juice as claimed in claim 11, characterized in that the treatment with a cation exchange resin is a column treatment or batch treatment.

13. The powdered low potassium juice as claimed in claim 11, characterized in that the cation exchange resin is of an H⁺ form.

14. Low potassium juice-containing food, characterized by containing the low potassium juice as claimed in claim 1 or 7, or powdered low potassium juice as claimed in claim 11.

15. Low potassium juice-containing food as jelly, characterized by comprising the low potassium juice as claimed in claim 1 or 7

or powdered low potassium juice as claimed in claim 11, a gelling agent, a thickener, and carbohydrates.

16. Low potassium juice-containing food as jelly, characterized by hot filling a heated mixture of food consisting of the low potassium juice as claimed in claim 1 or 7 or powdered low potassium juice as claimed in claim 11, a gelling agent, and carbohydrates in a soft container equipped with a mouthpiece having a cap.

17. Low potassium juice-containing food as gummy, characterized by comprising the low potassium juice as claimed in claim 1 or powdered low potassium juice as claimed in claim 11, a gelatin, carbohydrates, an organic acid, and a flavoring.

18. Low potassium juice-containing food as candy, characterized by comprising the low potassium juice as claimed in claim 1 or 7 or powdered low potassium juice as claimed in claim 11, carbohydrates, and a flavoring.

19. Low potassium juice for patients suffering from kidney failure, characterized by comprising juice reamed from fruit and/or vegetable being decreased the potassium content thereof to no more than one-tenth, preferably no more than one-twentieth and having 0.5 to 20 g/kg of a calcium compound.